



REFRIGERATION

SERVING THE FOOD INDUSTRY SINCE 1951

SOLID DOOR BOTTLE KEG COOLERS WITH BEER DISPENSERS

Item: 50066 (Model: BD-CN-0007-HC)
Item: 38009 (Model: BB-CN-0016-D)

Item: 38008 (Model: BB-CN-0012-D)
Item: 42943 (Model: BD-CN-0023-D)

Item: 42942 (Model: BD-CN-0019-S)
Item: 38010 (Model: BB-CN-0020-D)
Item: 42944 (Model: BD-CN-0032-D)



Designed with enduring quality and value. The exterior comprises of heavy-duty wear resistant black coating paint. All stainless steel 304 counter top and stainless steel interior with 304 floor and side. NSF-7 approved for packaged and bottle product. Positive seal doors with lock and key. It comes with LED lights.



Authorized Dealer




WARRANTY

1 YEAR PARTS AND LABOR
5 YEARS PARTS ON COMPRESSOR



REFRIGERATION

BEER DISPENSERS WITH SINGLE DOOR
AND 1 SPOUT



Features:

- 304 stainless steel counter top, floor and walls
- Heavy-duty wear resistant black coating paint
- Temperature range: -2 - 8 °C/ 28 - 46 °F
- Mechanical controller: Temperature range from 7 to 1 (coldest to warmest)
- Capacity: One 1/2 barrel
- Comes with LED lights and 4 swivel casters with brakes
- Positive seal doors with lock and key




Stainless steel top tray cover



Optional order (Item 44224):
Double tap tower




Thermometer



Mechanical temperature
controller

TECHNICAL SPECIFICATION

ITEM NUMBER	50066	COMPRESSOR HP	1/6
MODEL	BD-CN-0007-HC	ELECTRICAL	115V / 60Hz / 1
POWER	1/6 HP	AMPS	1.92A
PRODUCT CAPACITY	(1) 1/2 barrel	OVERALL DIMENSIONS (DWH)	30.8" x 23.5" x 51.5" / 782 x 596 x 1308 mm
NUMBER OF DOORS	1	INTERIOR DIMENSIONS	19.5" x 25.8" x 28.6" / 496 x 655 x 726 mm
TEMPERATURE RANGE	0.5 - 5 °C/ 33 - 41 °F	PACKAGING DIMENSIONS	25.2" x 32" x 48" / 640 x 815 x 1220 mm
CAPACITY	186 L	WEIGHT	70 kg/ 154 lbs
NUMBER OF SHELVES	N/A	PACKAGING WEIGHT	80 kg/ 176 lbs



WARRANTY

1 YEAR PARTS AND LABOR
5 YEARS PARTS ON COMPRESSOR

OMCAN INC.

Telephone: 1-800-465-0234

Fax: (905) 607-0234

Email: sales@omcan.com

Website: www.omcan.com





Follow us to keep up to date with the
latest news and offers



2017.E.O.E

REFRIGERATION

BEER DISPENSERS WITH DOUBLE DOOR
AND 1 SPOUT



Features:

- 304 stainless steel counter top, floor and walls
- Heavy-duty wear resistant black coating paint
- Temperature range: 0 - 5 °C/ 33 - 41 °F
- Mechanical controller: Temperature range from 7 to 1 (coldest to warmest)
- Capacity: Two 1/2 barrels
- Comes with LED lights, casters and adjustable feet




Stainless steel top tray cover



Optional order (Item 44224):
Double tap tower




Shelf



Mechanical temperature
controller

TECHNICAL SPECIFICATION

ITEM NUMBER	38008	COMPRESSOR HP	1/3 +
MODEL	BB-CN-0012-D	ELECTRICAL	115V / 60Hz / 1Ph
POWER	0.444 kW	AMPS	6.4 A
PRODUCT CAPACITY	(2) 1/2 barrels	OVERALL DIMENSIONS (DWH)	24.4" x 48.8" x 51.5" / 620 x 1240 x 1307 mm
NUMBER OF DOORS	2	INTERIOR DIMENSIONS	20" x 36.2" x 31" / 508 x 919.5 x 747 mm
TEMPERATURE RANGE	33 - 41°F / 0 - 5°C	PACKAGING DIMENSIONS	27.6" x 51.2" x 42.3" / 701 x 1610.4 x 1074.4 mm
CAPACITY	335 L	WEIGHT	271 lbs. / 123 kg
NUMBER OF SHELVES	4	PACKAGING WEIGHT	315 lbs. / 143 kg



WARRANTY
1 YEAR PARTS AND LABOR
5 YEARS PARTS ON COMPRESSOR

OMCAN INC.

Telephone: 1-800-465-0234

Fax: (905) 607-0234

Email: sales@omcan.com

Website: www.omcan.com




Follow us to keep up to date with the latest news and offers



2017.E.O.E

REFRIGERATION

BEER DISPENSERS WITH DOUBLE DOOR
AND 1 SPOUT



Features:

- 304 stainless steel counter top, floor and walls
- Heavy-duty wear resistant black coating paint
- Temperature range: -2 - 8 °C/ 28 - 46 °F
- Mechanical controller: Temperature range from 7 to 1 (coldest to warmest)
- Capacity: Three 1/2 barrels
- Comes with LED lights and 4 swivel casters with brakes
- Positive seal doors with lock and key



Stainless steel top tray cover



Optional order (Item 44224):
Double tap tower




Shelf



Mechanical temperature
controller

TECHNICAL SPECIFICATION

ITEM NUMBER	42942	COMPRESSOR HP	1/3 +
MODEL	BD-CN-0019-S	ELECTRICAL	115V/ 60Hz/ 1Ph
POWER	445w	AMPS	8 A
PRODUCT CAPACITY	(3) 1/2 barrels	OVERALL DIMENSIONS (DWH)	27.8" x 58.9" x 53.4"/ 705 x 1495 x 1357 mm
NUMBER OF DOORS	2	INTERIOR DIMENSIONS	46" x 23" x 30"/ 1175 x 595 x 775 mm
TEMPERATURE RANGE	-2 - 8 °C/ 28 - 46 °F	PACKAGING DIMENSIONS	61" x 30.5" x 41.7"/ 1555 x 775 x 1060 mm
CAPACITY	19.3 cu.ft. /546 L	WEIGHT	264.6 lbs./ 120 kg
NUMBER OF SHELVES	2	PACKAGING WEIGHT	286.6 lbs./ 130 kg



WARRANTY

1 YEAR PARTS AND LABOR
5 YEARS PARTS ON COMPRESSOR

OMCAN INC.

Telephone: 1-800-465-0234

Fax: (905) 607-0234

Email: sales@omcan.com

Website: www.omcan.com




Follow us to keep up to date with the
latest news and offers



2017.E.O.E

REFRIGERATION

BEER DISPENSERS WITH DOUBLE DOOR
AND 2 SPOUTS



Features:

- 304 stainless steel counter top, floor and walls
- Heavy-duty wear resistant black coating paint
- Temperature range: 0 - 5 °C/ 33 - 41 °F
- Mechanical controller: Temperature range from 7 to 1 (coldest to warmest)
- Capacity: Three 1/2 barrels
- Comes with LED lights, casters and adjustable feet




Stainless steel top tray cover



Optional order (Item 44224):
Double tap tower




Shelf



Mechanical temperature
controller

TECHNICAL SPECIFICATION

ITEM NUMBER	38009	COMPRESSOR HP	1/3 +
MODEL	BB-CN-0016-D	ELECTRICAL	115V / 60Hz / 1Ph
POWER	0.456 kW	AMPS	6.4 A
PRODUCT CAPACITY	(3) 1/2 barrels	OVERALL DIMENSIONS (DWH)	24.4" x 60.8" x 51.5" / 620 x 1544 x 1307 mm
NUMBER OF DOORS	2	INTERIOR DIMENSIONS	20" x 48.2" x 31" / 508 x 1224.3 x 747 mm
TEMPERATURE RANGE	33 - 41°F / 0 - 5°C	PACKAGING DIMENSIONS	27.6" x 63.4" x 42.3" / 701 x 1610.4 x 1074.4 mm
CAPACITY	15.8 cu. ft. / 446 L	WEIGHT	326 lbs. / 148 kg.
NUMBER OF SHELVES	4	PACKAGING WEIGHT	381 lbs. / 173 kg.



WARRANTY
1 YEAR PARTS AND LABOR
5 YEARS PARTS ON COMPRESSOR

OMCAN INC.

Telephone: 1-800-465-0234

Fax: (905) 607-0234

Email: sales@omcan.com

Website: www.omcan.com





Follow us to keep up to date with the latest news and offers



2017.E.O.E

REFRIGERATION

BEER DISPENSERS WITH DOUBLE DOOR
AND 2 SPOUTS



Features:

- 304 stainless steel counter top, floor and walls
- Heavy-duty wear resistant black coating paint
- Temperature range: -2 - 8 °C/ 28 - 46 °F
- Mechanical controller: Temperature range from 7 to 1 (coldest to warmest)
- Capacity: three 1/2, one slim 1/4 & one 1/6 barrels
- Positive seal doors with lock and key
- Casters and adjustable feet included



Stainless steel top tray cover



Optional order (Item 44224):
Double tap tower




Shelf



Mechanical temperature
controller

TECHNICAL SPECIFICATION

ITEM NUMBER	42943	COMPRESSOR HP	1/3 +
MODEL	BD-CN-0023-D	ELECTRICAL	115V/ 60Hz/ 1Ph
POWER	445w	AMPS	8 A
PRODUCT CAPACITY	(3) 1/2 barrels, (1) 1/4 slim barrel & (1) 1/6 barrel	OVERALL DIMENSIONS (DWH)	27.8" x 69" x 48.4" / 705 x 1755 x 1230 mm
NUMBER OF DOORS	2	INTERIOR DIMENSIONS	56.5" x 23.4" x 30.5" / 1435 x 595 x 775 mm
TEMPERATURE RANGE	-2 - 8 °C/ 28 - 46 °F	PACKAGING DIMENSIONS	72" x 31" x 42" / 1829 x 777 x 1067 mm
CAPACITY	24 cu.ft. / 666 L	WEIGHT	297.6 lbs./ 135 kg
NUMBER OF SHELVES	2	PACKAGING WEIGHT	331 lbs/ 150 kg



WARRANTY
1 YEAR PARTS AND LABOR
5 YEARS PARTS ON COMPRESSOR

OMCAN INC.

Telephone: 1-800-465-0234

Fax: (905) 607-0234

Email: sales@omcan.com

Website: www.omcan.com




Follow us to keep up to date with the
latest news and offers



2017.E.O.E

REFRIGERATION

BEER DISPENSERS WITH TRIPLE DOOR AND 2 SPOUTS



Features:

- 304 stainless steel counter top, floor and walls
- Heavy-duty wear resistant black coating paint
- Temperature range: 0 - 5 °C/ 33 - 41 °F
- Mechanical controller: Temperature range from 7 to 1 (coldest to warmest)
- Capacity: three 1/2, one slim 1/4 barrels
- Comes with LED lights, casters and adjustable feet




Stainless steel top tray cover



Optional order (Item 44224):
Double tap tower




Shelf



Mechanical temperature
controller

TECHNICAL SPECIFICATION

ITEM NUMBER	38010	COMPRESSOR HP	1/3 +
MODEL	BB-CN-0020-D	ELECTRICAL	115V / 60Hz / 1Ph
POWER	0.504 kW	AMPS	7.4A
PRODUCT CAPACITY	(3) 1/2 barrels, (1) 1/4 slim barrel	OVERALL DIMENSIONS (DWH)	24.4" x 72.8" x 51.5" / 620 x 1848 x 1307 mm
NUMBER OF DOORS	3	INTERIOR DIMENSIONS	20" x 60.2" x 31" / 508 x 1529 x 747 mm
TEMPERATURE RANGE	33 - 41°F / 0 - 5°C	PACKAGING DIMENSIONS	27.6" x 75.2" x 42.3" / 701 x 1910 x 1074.4 mm
CAPACITY	19.6 cu. ft. / 556 L	WEIGHT	355 lbs. / 161 kg.
NUMBER OF SHELVES	6	PACKAGING WEIGHT	410 lbs. / 186 kg.



WARRANTY
1 YEAR PARTS AND LABOR
5 YEARS PARTS ON COMPRESSOR

OMCAN INC.

Telephone: 1-800-465-0234

Fax: (905) 607-0234

Email: sales@omcan.com

Website: www.omcan.com





Follow us to keep up to date with the latest news and offers



2017.E.O.E

REFRIGERATION

BEER DISPENSERS WITH TRIPLE DOOR
AND 2 SPOUTS



Features:

- 304 stainless steel counter top, floor and walls
- Heavy-duty wear resistant black coating paint
- Temperature range: -2 - 8 °C/ 28 - 46 °F
- Mechanical controller: Temperature range from 7 to 1 (coldest to warmest)
- Five 1/2 barrels capacity
- Positive seal doors with lock and key
- Casters and adjustable feet included



Stainless steel top tray cover



Optional order (Item 44224):
Double tap tower




Shelf



Mechanical temperature
controller

TECHNICAL SPECIFICATION

ITEM NUMBER	42944	COMPRESSOR HP	3/4
MODEL	BD-CN-0032-D	ELECTRICAL	115V/ 60Hz/ 1Ph
POWER	625w	AMPS	10 A
PRODUCT CAPACITY	(5) 1/2 barrels	OVERALL DIMENSIONS (DWH)	27.8" x 90" x 48.4" / 705 x 2295 x 1230 mm
NUMBER OF DOORS	3	INTERIOR DIMENSIONS	77.8" x 23.4" x 30.5" / 1975 x 595 x 775 mm
TEMPERATURE RANGE	-2 - 8 °C/ 28 - 46 °F	PACKAGING DIMENSIONS	91.7" x 30.5" x 41.7" / 2330 x 775 x 1060 mm
CAPACITY	32 cu.ft. / 916 L	WEIGHT	352.7 lbs / 160 kg
NUMBER OF SHELVES	3	PACKAGING WEIGHT	396.8 lbs / 180 kg



WARRANTY

1 YEAR PARTS AND LABOR
5 YEARS PARTS ON COMPRESSOR

OMCAN INC.

Telephone: 1-800-465-0234

Fax: (905) 607-0234

Email: sales@omcan.com

Website: www.omcan.com



Follow us to keep up to date with the
latest news and offers



2017.E.O.E