



SERVING THE FOOD INDUSTRY SINCE 1951

EKA SERIES ELECTRIC COMMERCIAL CONVECTION OVENS

Countertop Electric Convection Oven - Half Size- 4 Shelves Capacity

EKA heavy duty electric convection ovens are designed and developed using state of the art technology to produce products that are easy to use and aesthetically pleasing for today's kitchens. All ovens are 100% made in Italy, for over 37 years have been the prides of those who have always believed in Italian creativity, quality and reliability.









FEATURES

- Designed for maximum cooking capacity in smallest possible footprint
- 4 Levels with 2.9 inches apart
- · Side tray/shelf support included and optional chrome racks available
- Temperature range: 200°-500°F/93°-260°C
- · High quality stainless steel cooking chamber
- · Manual or digital lower control panel
- · Bi-directional fan provides faster and more even cooking
- · High efficiency motors and fans

- · Premium quality insulation helps accelerates warm up and ensure even temperature throughout the chamber
- · Heavy-duty hinged doors
- Inner and outer door glass made from hardened glass
- Timer from 0-120 minutes
- This unit is stackable and comes equipped with an internal halogen light and recessed seal









EKA SERIES ELECTRIC COMMERCIAL CONVECTION OVENS

Countertop Electric Convection Oven - Half Size- 4 Shelves Capacity



EKFA412 | ITEM: 43318



• Electromechanical version

EKFA412UD | ITEM: 43321



• Electromechanical version with pushbutton steam injection

EKFA412DUD | ITEM: 41923



 Digital control with 99 cooking programs in four stages and steam injection

TECHNICAL SPECIFICATIONS				
ITEM NUMBER	43318	43321	41923	
MODEL	EKFA412	EKFA412UD	EKFA412DUD	
DESCRIPTION	Manual control	Manual control with pushbutton steam injection	Digital control with 99 cooking programs in four stages and steam injection	
POWER	1.8 kW	2.9 kW	2.9 kW	
AMPS	14.7	12	12	
NUMBER OF SHELVES	4	4	4	
DISTANCE OF PANS	2.9" / 73.66 mm	2.9" / 73.66 mm	2.9" / 73.66 mm	
CAPACITY	2.20 cu.ft.	2.20 cu.ft.	2.20 cu.ft.	
COOKING CHAMBER	16.24" x 19.80" x 11.92"	16.24" x 19.80" x 11.92"	16.24" x 19.80" x 11.92"	
TEMPERATURE RANGE	200°-500°F / 93°-260°C	200°-500°F / 93°-260°C	200°-500°F / 93°-260°C	
ELECTRICAL	120 V / 60 Hz	240 V / 60 Hz	240 V / 60 Hz	
WEIGHT	94 lbs. / 42.72 kg	97 lbs. / 44 kg	104 lbs. / 47.27 kg	
DIMENSIONS (DWH)	27.91" x 23.62" x 25.72"	27.91" x 23.62" x 25.72"	27.91" x 23.62" x 25.72"	
























Specifications subject to change without notice. Item may not be exactly as shown

OMCAN INC.

Telephone: 1-800-465-0234 Fax: (905) 607-0234 Email: sales@omcan.com Website: www.omcan.com





Follow us to keep up to date with the latest news and offers











EKA SERIES ELECTRIC COMMERCIAL CONVECTION OVENS

Countertop Electric Convection Oven - Half Size- 4 Shelves Capacity



EKFA412AL | ITEM: 43319



Electromechanical version with side door opening

EKFA412ALUD | ITEM: 41922



• Electromechanical version with pushbutton steam injection and side opening door

EKFA412DALUD | ITEM: 43320



- Digital control with 99 cooking programs in four stages
- Steam injection
- Side hinged door

TECHNICAL SPECIFICATIONS				
ITEM NUMBER	43319	41922	43320	
MODEL	EKFA412AL	EKFA412ALUD	EKFA412DALUD	
DESCRIPTION	Manual control side hinged door	Manual control with steam injection and side hinged door	Digital control with 99 cooking programs, steam injection and side hinged door	
POWER	2.9 kW	2.9 kW	2.9 kW	
AMPS	12	12	12	
NUMBER OF SHELVES	4	4	4	
DISTANCE OF PANS	2.9" / 73.66 mm	2.9" / 73.66 mm	2.9" / 73.66 mm	
CAPACITY	2.20 cu.ft.	2.20 cu.ft.	2.20 cu.ft.	
COOKING CHAMBER	16.24" x 19.80" x 11.92"	16.24" x 19.80" x 11.92"	16.24" x 19.80" x 11.92"	
TEMPERATURE RANGE	200°-500°F / 93°-260°C	200°-500°F / 93°-260°C	200°-500°F / 93°-260°C	
ELECTRICAL	240 V / 60 Hz	240 V / 60 Hz	240 V / 60 Hz	
WEIGHT	87 lbs. / 39.54 kg	104 lbs. / 47.2 kg	104 lbs. / 47.2 kg	
DIMENSIONS (DWH)	27.83" x 23.62" x 22.81"	27.83" x 23.62" x 22.81"	27.83" x 23.62" x 22.81"	
























Specifications subject to change without notice. Item may not be exactly as shown

OMCAN INC.

Telephone: 1-800-465-0234 Fax: (905) 607-0234 Email: sales@omcan.com Website: www.omcan.com





Follow us to keep up to date with the latest news and offers







