




SERVING THE FOOD INDUSTRY SINCE 1951

SOLID DOOR KEGERATORS / BEER DISPENSERS

Item: 50069 (Model: BD-CN-0032-HC)











5 YEARS PARTS ON COMPRESSOR






Authorized Dealer

BEER DISPENSERS WITH SINGLE DOOR AND 1 SPOUT







Features:

- Durable stainless steel top, interior walls, floor and ceiling
- Exterior construction is attractive corrosion resistant vinyl on steel in black finish
- Refrigeration system keeps the drinks at safe temperatures between 33°F and 41°F (0.5°C to 5°C)
- Shelves: Adjustable heavy-duty PVC coated shelves
- Self-Closing doors with locks
- LED interior lighting
- Refrigerant: HYDRO-CARBON R290



Stainless steel top tray cover



Optional order (Item 44224): Double tap tower



Thermometer



Mechanical temperature controller

TECHNICAL SPECIFICATION	
ITEM NUMBER	50066
MODEL	BD-CN-0007-HC
POWER	1/6 HP
PRODUCT CAPACITY	One 1/2 barrel
NUMBER OF DOORS	1
TEMPERATURE RANGE	0.5 - 5 °C / 33 - 41 °F
CAPACITY	6.5 cu. ft.
NUMBER OF SHELVES	N/A

COMPRESSOR HP	1/6
ELECTRICAL	115V / 60Hz / 1Ph
AMPS	1.92A
OVERALL DIMENSIONS (DWH)	30.8" x 23.5" x 51.5"/ 782 x 596 x 1308 mm
INTERIOR DIMENSIONS	19.5" x 25.8" x 28.6" / 496 x 655 x 726 mm
PACKAGING DIMENSIONS	25.2" x 32" x 48" / 640 x 815 x 1220 mm
WEIGHT	70 kg/ 154 lbs
PACKAGING WEIGHT	80 kg/ 176 lbs











For more product capacity configuration, please see 50066 technical drawing.

OMCAN INC.


















BEER DISPENSERS WITH DOUBLE DOOR AND 1 SPOUT









Features:

- Durable stainless steel top, interior walls, floor and ceiling
- Exterior construction is attractive corrosion resistant vinyl on steel in black finish
- Refrigeration system keeps the drinks at safe temperatures between 33°F and 41°F (0.5°C to 5°C)
- Shelves: Adjustable heavy-duty PVC coated shelves
- Self-Closing doors with locks
- LED interior lighting
- Removable installation board makes it easy to access condenser coil for cleaning and service
- Refrigerant: HYDRO-CARBON R290



Stainless steel top tray cover



Optional order (Item 44224): Double tap tower



Shelf



Mechanical temperature controller

TECHNICAL SPECIFICATION		
50063		
BB-CN-0012-DH		
150 kW		
Two 1/2 barrels		
2		
0.5 - 5 °C / 33 - 41 °F		
11.8 cu. ft.		
4		

COMPRESSOR HP

ELECTRICAL

AMPS

OVERALL DIMENSIONS
(DWH)

INTERIOR DIMENSIONS
PACKAGING DIMENSIONS

WEIGHT
PACKAGING WEIGHT

1/5 HP

115V / 60Hz / 1Ph

3

24.4" x 48.8" x 5' 5" / 1240 x 620 x 905 mm

36 1/4" x 18 1/2" x 30 1/2" / 920 x 470 x 775 mm

51 1/8" x 27 4/8" 42 3/8" / 1300 x 700 x 1075 mm

98 kg. / 216 lbs.

118 kg. / 260 lbs.

NEMA 5 - 15 125 VAC / 15 AMP











For more product capacity configuration, please see 50063 technical drawing.

OMCAN INC.


















BEER DISPENSERS WITH DOUBLE DOOR **AND 1 SPOUT**







Features:

- · Durable stainless steel top, interior walls, floor and ceiling
- Exterior construction is attractive corrosion resistant vinyl on steel in black finish
- Refrigeration system keeps the drinks at safe temperatures between 33°F and 41°F (0.5°C to 5°C)
- Shelves: Adjustable heavy-duty PVC coated shelves
- Self-Closing doors with locks
- LED interior lighting
- Removable installation board makes it easy to access condenser coil for cleaning and service
- Refrigerant: HYDRO-CARBON R290







Optional order (Item 44224): Double tap tower



Shelf





Mechanical temperature controller

TECHNICAL SPECIFICATION

ITEM NUMBER	50067
MODEL	BD-CN-0019-HC
POWER	150 kW
PRODUCT CAPACITY	Two 1/2 barrels
NUMBER OF DOORS	2
TEMPERATURE RANGE	0.5 - 5 °C / 33 - 41 °F
CAPACITY	19 cu. ft.
NUMBER OF SHELVES	4

COMI	PRESSOR HP
EL	ECTRICAL
	AMPS
OVERALL D	DIMENSIONS (DW
INTERIC	OR DIMENSIONS
PACKAGI	ING DIMENSIONS
,	WEIGHT

PACKAGING WEIGHT

	1/5
	110V / 60Hz / 1Ph
	2.88
)	27.7" x 58.8" x 45.5" / 1495 x 705 x 905 mm
	46" x 21.8" x 28.9" / 1170 x 555 x 735 mm
	61 28" x 30 4/8" x 41 6/8" / 1555 x 775 x 1060 mm
	127 kg. / 279 lbs.
	142 kg. / 312 lbs.







27.7"







OMCAN INC.
















BEER DISPENSERS WITH DOUBLE DOOR AND 2 SPOUTS







Features:

- · Durable stainless steel top, interior walls, floor and ceiling
- Exterior construction is attractive corrosion resistant vinyl on steel in black finish
- Refrigeration system keeps the drinks at safe temperatures between 33°F and 41°F (0.5°C to 5°C)
- Shelves: Adjustable heavy-duty PVC coated shelves
- Self-Closing doors with locks
- LED interior lighting
- Removable installation board makes it easy to access condenser coil for cleaning and service
- Refrigerant: HYDRO-CARBON R290



Stainless steel top tray cover



Optional order (Item 44224): Double tap tower



Shelf



Mechanical temperature controller

TECHNICAL SPECIFICATION			
	ITEM NUMBER	50064	CO
	MODEL	BB-CN-0016-DH	
	POWER	150 kW	
	PRODUCT CAPACITY	Three 1/2 barrels	OVERAL
	NUMBER OF DOORS	2	INTER
	TEMPERATURE RANGE	0.5 - 5 °C / 33 - 41 °F	PACKA
	CAPACITY	15.8 cu. ft.	
	NUMBER OF SHELVES	4	PAC

COMPRESSOR HP	1/5 HP
ELECTRICAL	115V / 60Hz / 1Ph
AMPS	3
OVERALL DIMENSIONS (DWH)	24.4" x 60.8" x 51.5" / 1544 x 620 x 905 mm
INTERIOR DIMENSIONS	48 1/4" x 18 1/2" x 30 1/2" /1224 x 470 x 775 mm
PACKAGING DIMENSIONS	63 3/8" x 27 4/8" x 42 3/8" / 1610 x 700 x 1075 mm
WEIGHT	116 kg. / 255 lbs.
PACKAGING WEIGHT	145 kg. / 319 lbs.

NEMA 5 - 15 125 VAC / 15 AMP











For more product capacity configuration, please see 50064 technical drawing.

OMCAN INC.















BEER DISPENSERS WITH DOUBLE DOOR AND 2 SPOUTS





Features:

- · Durable stainless steel top, interior walls, floor and ceiling
- Exterior construction is attractive corrosion resistant vinyl on steel in black finish
- Refrigeration system keeps the drinks at safe temperatures between 33°F and 41°F (0.5°C to 5°C)
- Shelves: Adjustable heavy-duty PVC coated shelves
- Self-Closing doors with locks
- LED interior lighting
- Removable installation board makes it easy to access condenser coil for cleaning and service
- Refrigerant: HYDRO-CARBON R290



Stainless steel top tray cover

Optional order (Item 44224): Double tap tower





Shelf

Mechanical temperature controller

TECHNICAL SPECIFICATION		
ITEM NUMBER	50068	
MODEL	BD-CN-0023-HC	
POWER	150 kW	
PRODUCT CAPACITY	Three 1/2 barrels	
NUMBER OF DOORS	2	
TEMPERATURE RANGE	0.5 - 5 °C / 33 - 41 °F	
CAPACITY	23.3 cu. ft.	
NUMBER OF SHELVES	4	

1/5
110V / 60Hz / 1Ph
3.6
27.8" x 69" x 48.4" / 1755 x 705 x 905 mm
56.3" x 21.8" x 29" / 1430 x 555 x 735 mm
71 4/8" x 30 4/8" x 41 6/8" / 1815 x 775 x 1060 mm
148 kg. / 326 lbs.
167 kg. / 367 lbs.













For more product capacity configuration, please see 50068 technical drawing.

OMCAN INC.


















BEER DISPENSERS WITH TRIPLE DOOR AND 2 SPOUTS







Features:

- · Durable stainless steel top, interior walls, floor and ceiling
- Exterior construction is attractive corrosion resistant vinyl on steel in black finish
- Refrigeration system keeps the drinks at safe temperatures between 33°F and 41°F (0.5°C to 5°C)
- Shelves: Adjustable heavy-duty PVC coated shelves
- Self-Closing doors with locks
- LED interior lighting
- Removable installation board makes it easy to access condenser coil for cleaning and service
- Refrigerant: HYDRO-CARBON R290



Stainless steel top tray cover



Optional order (Item 44224): Double tap tower



Shelf



Mechanical temperature controller

TECHNICAL SPECIFICATION		
ITEM NUMBER	50065	
MODEL	BB-CN-0020-DH	
POWER	196 kW	
PRODUCT CAPACITY	Three 1/2 barrels	(
NUMBER OF DOORS	3	
TEMPERATURE RANGE	0.5 - 5 °C / 33 - 41 °F	
CAPACITY	19.6 cu. ft.	
NUMBER OF SHELVES	6	

COMPRESSOR HP	1/4+
ELECTRICAL	115V / 60Hz / 1Ph
AMPS	4
OVERALL DIMENSIONS (DWH)	24.4" x 72.8" x 51.5" / 1848 x 620 x 905 mm
INTERIOR DIMENSIONS	60 1/8" x 18 1/2" x 30 1/2" /1528 x 470 x 775 mm
PACKAGING DIMENSIONS	75 2/8" x 27 4/8" x 42 3/8" / 1910 x 700 x 1075 mm
WEIGHT	141 kg. / 310 lbs.
PACKAGING WEIGHT	175 kg. / 385 lbs.

NEMA 5 - 15 125 VAC / 15 AMP











For more product capacity configuration, please see 50065 technical drawing.

OMCAN INC.

















BEER DISPENSERS WITH TRIPLE DOOR AND 2 SPOUTS









Features:

- · Durable stainless steel top, interior walls, floor and ceiling
- Exterior construction is attractive corrosion resistant vinyl on steel in black finish
- Refrigeration system keeps the drinks at safe temperatures between 33°F and 41°F (0.5°C to 5°C)
- Shelves: Adjustable heavy-duty PVC coated shelves
- Self-Closing doors with locks
- LED interior lighting
- Removable installation board makes it easy to access condenser coil for cleaning and service
- Refrigerant: HYDRO-CARBON R290





Stainless steel top tray cover

Optional order (Item 44224): Double tap tower





Shelf

Mechanical temperature controller

TECHNICAL SPECIFICATION		
ITEM NUMBER	50069	
MODEL	BD-CN-0032-HC	
POWER	196 kW	
PRODUCT CAPACITY	Five 1/2 barrels	
NUMBER OF DOORS	3	
TEMPERATURE RANGE	0.5 - 5 °C / 33 - 41 °F	
CAPACITY	32 cu. ft.	
NUMBER OF SHELVES	6	

COMPRESSOR HP	1/4+
ELECTRICAL	110V / 60Hz / 1Ph
AMPS	4.7
OVERALL DIMENSIONS (DWH)	27.7" x 90.4" x 48.4" / 2295 x 705 x 905 mm
INTERIOR DIMENSIONS	77.5" x 21.8" x 29" / 1970 x 555 x 735 mm
PACKAGING DIMENSIONS	91 6/8" x 30 4/8" x 41 6/8" / 2330 x 775 x 1060 mm
WEIGHT	170 kg. / 374 lbs.
PACKAGING WEIGHT	195 kg. / 429 lbs.

NEMA 5 - 15 125 VAC / 15 AMP











For more product capacity configuration, please see 50069 technical drawing.

OMCAN INC.















